FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

NHA

DECK LOG BOOK

OF THE

U.S.S. ABBOT

DD-629
IDENTIFICATION NUMBER

COMMANDED BY

A. H. CRAIG, CDR, U. S. N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
____ Fleet,
____ Naval District,

Commencing 1 APRIL (zone time and date), 1962,

at ____ (location),

and ending 30 April (zone time and date), 1962,

at ____ (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 1 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	4	RAIN	29.74	58	57						
02	NA	NA	4	RAIN	29.72	57	56						
03	NA	NA	4	RAIN	29.70	55	54						
04	NA	NA	4	RAIN	29.70	55	54						
05	NA	NA	4	RAIN	29.68	53	52						
06	NA	NA	4	RAIN	29.66	51	50						
07	NA	NA	4	RAIN	29.64	49	48						
08	NA	NA	4	RAIN	29.63	48	47						
09	NA	NA	4	RAIN	29.61	47	45						
10	NA	NA	4	RAIN	29.59	47	45						
11	NA	NA	4	RAIN	29.57	47	45						
12	NA	NA	4	RAIN	29.56	47	46						
13	NA	NA	4	RAIN	29.54	47	45						
14	NA	NA	4	RAIN	29.52	45	44						
15	NA	NA	4	RAIN	29.50	47	46						
16	NA	NA	4	RAIN	29.49	47	46						
17	NA	NA	4	RAIN	29.47	46	45						
18	NA	NA	4	RAIN	29.45	44	43						
19	NA	NA	4	RAIN	29.43	44	43						
20	NA	NA	3	FOG	29.41	45	44						
21	NA	NA	3	FOG	29.41	45	44						
22	NA	NA	3	FOG	29.42	45	44						
23	NA	NA	3	FOG	29.44	44	43						
24	NA	NA	3	FOG	29.45	44	43						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 --VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T T s s	T T d d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R Coburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Sunday (Day) 1 (Date) April (Month), 19 62

ADDITIONAL REMARKS

00-04 Moored starboard side to Pier 4, U.S. Naval Shipyard, Boston, Mass., with stardard destroyer mooring lines doubled. This ship receiving all utilities from the pier. Condition of Readiness V and Material Condition YOKE (Modified) are set. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61).

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Moored as before. 0745 Mustered the crew on station; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 2 APRIL 1962

AT ~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	CLR	29.50	45	44						
02	NA	NA	7	CLR	29.52	45	44						
03	NA	NA	7	CLR	29.54	43	42						
04	NA	NA	7	CLR	29.56	43	42						
05	NA	NA	7	CLR	29.57	44	43						
06	NA	NA	8	CLR	29.59	44	43						
07	NA	NA	8	CLR	29.60	45	44						
08	NA	NA	8	CLR	29.60	45	44						
09	NA	NA	8	CLR	29.62	44	44						
10	NA	NA	8	CLR	29.64	45	44						
11	NA	NA	8	CLR	29.65	46	45						
12	NA	NA	8	CLR	29.67	48	47						
13	NA	NA	8	CLR	29.69	48	47						
14	NA	NA	8	CLR	29.71	48	47						
15	NA	NA	8	CLR	29.72	49	48						
16	NA	NA	8	CLR	29.74	48	47						
17	NA	NA	8	CLR	29.76	46	45						
18	NA	NA	7	CLR	29.78	45	45						
19	NA	NA	7	CLR	29.80	43	42						
20	NA	NA	7	CLR	29.82	43	42						
21	NA	NA	7	CLR	29.84	41	40						
22	NA	NA	7	CLR	29.86	40	39						
23	NA	NA	7	CLR	29.88	39	38						
24	NA	NA	7	CLR	29.90	38	37						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Roburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Monday (Day) 2 (Date) April (Month) 62, 19__

ADDITIONAL REMARKS

00-04 Moored starboard side to Pier 4, U.S. Naval Shipyard, Boston, Mass., with standard destroyer mooring lines doubled. This ship is receiving all utilities from the pier. Condition of Readiness V and Material Condition YOKE (Modified) are set. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61).

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Moored as before. 0900 Mustered the crew on stations; no unauthorized absentees. 1134 GARRETT, M. G., 656 98 52, GMG2 received injury to right cheek in the line of duty and not due to his own misconduct. 0.5 cc Tetanus Booster shot administered.

B. F. Bremer
for P. F. FINCH
ENS USN

12-16 Moored as before.

B. F. Bremer
for P. F. FINCH
ENS USN

16-20 Moored as before.

B. F. Bremer
for P. F. FINCH
ENS USN

20-24 Moored as before.

B. F. Bremer
for P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 3 APRIL 19 62

AT/~~PASSAGE FROM~~ BOSTON NAUAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	6	OVC	29.91	38	37						
02	NA	NA	6	OVC	29.93	39	38						
03	NA	NA	6	OVC	29.95	39	38						
04	NA	NA	6	OVC	29.97	38	38						
05	NA	NA	6	OVC	29.99	37	37						
06	NA	NA	6	OVC	30.00	39	38						
07	NA	NA	6	OVC	30.02	40	39						
08	NA	NA	8	CLR	30.04	39	39						
09	NA	NA	8	CLR	30.06	39	38						
10	NA	NA	8	CLR	30.08	38	37						
11	NA	NA	8	CLR	30.10	39	38						
12	NA	NA	8	CLR	30.10	39	38						
13	NA	NA	8	CLR	30.11	40	39						
14	NA	NA	8	CLR	30.13	41	40						
15	NA	NA	8	CLR	30.15	41	40						
16	NA	NA	8	CLR	30.14	41	41						
17	NA	NA	8	CLR	30.16	42	41						
18	NA	NA	8	CLR	30.18	43	42						
19	NA	NA	8	CLR	3020	41	40						
20	NA	NA	7	CLR	30.21	40	39						
21	NA	NA	7	CLR	30.23	39	38						
22	NA	NA	7	CLR	30.25	38	37						
23	NA	NA	7	CLR	30.27	35	37						
24	NA	NA	7	CLR	30.29	36	35						

POSITION ZONE TIME	
0800	
L ____ BY ____	
λ ____ BY ____	
1200	
L ____ BY ____	
λ ____ BY ____	
2000	
L ____ BY ____	
λ ____ BY ____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM ____ (ZT) (Date)
TO ____ (ZT) (Date)
SET ____
DRIFT ____
POSITION BETWEEN FIXES
MID. L ____
MID. λ ____

CURRENT DATA
FROM ____ (ZT) (Date)
TO ____ (ZT) (Date)
SET ____
DRIFT ____
POSITION BETWEEN FIXES
MID. L ____
MID. λ ____

CURRENT DATA
FROM ____ (ZT) (Date)
TO ____ (ZT) (Date)
SET ____
DRIFT ____
POSITION BETWEEN FIXES
MID. L ____
MID. λ ____

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT		Direction (True) (00-36)	Speed (True) (Knots)		Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Coburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Tuesday (Day) 3 (Date) April (Month), 19 62

ADDITIONAL REMARKS

00-04 Moored starboard side to Pier #4 at U.S. Naval Shipyard, Boston, Mass., using standard destroyer mooring lines doubled. Receiving all services from the pier. Ships present include various units of the U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE (Modified) are set. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61).

B. F. Bremer
P. F. FINCH
ENS USN

04-08 Moored as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

B. F. Bremer
P. F. FINCH
ENS USN

08-12 Moored as before.

B B Ellis
P. B. ELLIS
ENS USNR

12-16 Moored as before. 1530 The Commanding Officer held mast and imposed non-judicial punishment as follows: JENKINS, H. B., 528 46 53, RD2, USN. Offense: Violation of Article 86, 90 and 107 of UCMJ. Punishment: Restriction to the limits of the ship for one (1) week.

B B Ellis
P. B. ELLIS
ENS USNR

16-20 Moored as before.

B B Ellis
P. B. ELLIS
ENS USNR

20-24 Moored as before.

B B Ellis
P. B. ELLIS
ENS USNR

APPROVED: EXAMINED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION T5R DATE 4 APRIL 1962

AT ~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	CLR	30.31	36	36						
02	NA	NA	7	CLR	30.32	34	33						
03	NA	NA	7	CLR	30.34	33	32						
04	NA	NA	7	CLR	30.36	33	32						
05	NA	NA	8	CLR	30.38	34	33						
06	NA	NA	8	CLR	30.39	34	33						
07	NA	NA	8	CLR	30.41	37	36						
08	NA	NA	8	CLR	30.43	39	38						
09	NA	NA	8	CLR	30.45	40	39						
10	NA	NA	8	CLR	30.47	43	42						
11	NA	NA	8	CLR	30.49	45	44						
12	NA	NA	8	CLR	30.51	47	46						
13	NA	NA	8	CLR	30.50	49	48						
14	NA	NA	8	CLR	30.48	50	49						
15	NA	NA	8	CLR	30.46	51	49						
16	NA	NA	8	CLR	30.45	53	52						
17	NA	NA	8	CLR	30.44	52	51						
18	NA	NA	8	CLR	30.44	50	49						
19	NA	NA	8	CLR	30.42	49	48						
20	NA	NA	8	CLR	30.41	48	47						
21	NA	NA	6	CLR	30.39	46	46						
22	NA	NA	6	CLR	30.37	44	44						
23	NA	NA	6	CLR	30.35	43	42						
24	NA	NA	6	CLR	30.33	42	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T T s s	T T d d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Roburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Wednesday (Day) 4 (Date) April (Month) 62, 19__

ADDITIONAL REMARKS

00-04 Moored starboard side to Pier #4 at U.S. Naval Shipyard, Boston, Mass., using standard mooring lines doubled with a 3" brest line aft. Receiving all utilities from the pier. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61. Other ships present are various units of the U.S. Atlantic Fleet and local service craft.

P. B. Ellis
P. B. ELLIS
ENS USNR

04-08 Moored as before. 0730 Mustered the crew at quarters. No unauthorized absentees.

P. B. Ellis
P. B. ELLIS
ENS USNR

08-12 Moored as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

12-16 Moored as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

16-20 Moored as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

20-24 Moored as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 5 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.33	42	42						
02	NA	NA	8	CLR	30.35	42	41						
03	NA	NA	8	CLR	30.36	41	40						
04	NA	NA	8	CLR	30.38	40	40						
05	NA	NA	8	CLR	30.40	39	38						
06	NA	NA	8	CLR	30.41	39	38						
07	NA	NA	8	CLR	30.41	40	40						
08	NA	NA	8	CLR	30.42	41	40						
09	NA	NA	8	CLR	30.44	42	41						
10	NA	NA	8	CLR	30.46	44	42						
11	NA	NA	8	CLR	30.48	46	45						
12	NA	NA	8	CLR	30.49	47	46						
13	NA	NA	8	CLR	30.48	48	47						
14	NA	NA	8	CLR	30.47	49	48						
15	NA	NA	8	CLR	30.45	50	49						
16	NA	NA	8	CLR	30.43	51	49						
17	NA	NA	8	CLR	30.41	52	50						
18	NA	NA	8	CLR	30.41	51	50						
19	NA	NA	8	CLR	30.40	50	49						
20	NA	NA	8	CLR	30.39	49	48						
21	NA	NA	8	CLR	30.39	47	46						
22	NA	NA	8	CLR	30.38	45	44						
23	NA	NA	8	CLR	30.37	45	44						
24	NA	NA	8	CLR	30.35	43	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	V_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. Coburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-496110

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Thursday (Day) 5 (Date) April (Month), 19 62

ADDITIONAL REMARKS

00-04 Moored starboard side to Pier #4 U.S. Naval Shipyard, Boston, Mass., with standard destroyer mooring lines doubled. The plant is cold, receiving all services from the pier. Condition of Readiness V and Material Condition YOKE (Modified) are set. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Ships present include various units of the U.S. Atlantic and Allied Fleets and local service craft.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

04-08 Moored as before. 0730 Mustered the crew at quarters. Unauthorized absentees: None.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

08-12 Moored as before. 1030 Secured all fire and flushing water, steam, electricity. 1100 Set the Special Sea Detail. 1130 Pilot came aboard. 1135 Ship underway, making approach to Drydock #2, with tug assistance.* 1140 Pilot left the ship.* *1137 Bow passed over sill.* ejg

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Underway as before. 1219 Ship in drydock #2 settling on keel blocks. 1220 Secured the Special Sea Detail. 1332 Receiving all utilities from the dock. 1459 Ship resting on keel blocks.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Resting on keel blocks as before. 2030 The Summary Court-Martial, LTJG R. A. K. TAYLOR, USN, opened at 2000 in the case of OKULEY, A. W., 515 32 77, QMSN, USNR and adjourned at 2110 to await the action of the convening authority.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 6 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.34	45	44						
02	NA	NA	8	CLR	30.32	46	45						
03	NA	NA	8	CLR	30.31	48	47						
04	NA	NA	8	CLR	30.29	49	48						
05	NA	NA	8	CLR	30.27	49	48						
06	NA	NA	8	CLR	30.25	48	48						
07	NA	NA	8	CLR	30.23	50	49						
08	NA	NA	8	CLR	30.22	50	49						
09	NA	NA	8	CLR	30.20	51	50						
10	NA	NA	8	CLR	30.21	52	50						
11	NA	NA	8	CLR	30.22	54	52						
12	NA	NA	8	CLR	30.22	54	52						
13	NA	NA	8	CLR	30.23	53	52						
14	NA	NA	8	CLR	30.25	55	54						
15	NA	NA	8	CLR	30.27	55	54						
16	NA	NA	8	CLR	30.29	56	54						
17	NA	NA	8	CLR	30.28	57	55						
18	NA	NA	8	CLR	30.26	59	58						
19	NA	NA	7	OVC	30.24	58	57						
20	NA	NA	7	OVC	30.22	55	54						
21	NA	NA	7	OVC	30.21	54	53						
22	NA	NA	6	OVC	30.19	52	51						
23	NA	NA	6	OVC	30.17	50	49						
24	NA	NA	6	OVC	30.15	49	48						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(00-99)	Present	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T T s s	T T d d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_j	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Roburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Friday (Day) 6 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. This ship receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE (Modified) are set. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. BOSTON (CAG-1).

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters, no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Resting on keel blocks as before. 1000 The Commanding Officer as convening authority for the summary court-martial of OKULEY, A. W., 515 32 77, QMSN, USNR approved and ordered executed only so much of this sentence as provides for restriction to the limits of the U.S.S. ABBOT for 10 days and hard labor without confinement for 10 days.

P F Finch
P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before. 1315 Ensign J. M. KELLEHER, 654524/1105, USNR reported aboard for duty from U.S. Naval Justice School, Newport, R.I.

P F Finch
P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before.

P F Finch
P. F. FINCH
ENS USN

20-24 Resting on keel blocks as before.

P F Finch
P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 7 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	4	OVC	30.17	52	51						
02	NA	NA	4	OVC	30.17	53	52						
03	NA	NA	4	OVC	30.15	54	53						
04	NA	NA	4	OVC	30.14	54	53						
05	NA	NA	4	OVC	30.13	55	54						
06	NA	NA	5	OVC	30.13	55	54						
07	NA	NA	5	OVC	30.11	56	55						
08	NA	NA	5	OVC	30.09	58	57						
09	NA	NA	6	OVC	30.07	60	59						
10	NA	NA	6	OVC	30.05	62	61						
11	NA	NA	6	OVC	30.04	64	63						
12	NA	NA	6	OVC	30.02	66	65						
13	NA	NA	6	OVC	29.99	66	65						
14	NA	NA	6	OVC	29.97	65	64						
15	NA	NA	6	OVC	29.96	65	64						
16	NA	NA	6	OVC	29.94	64	63						
17	NA	NA	6	OVC	29.92	63	62						
18	NA	NA	6	OVC	29.90	61	60						
19	NA	NA	5	RAIN	29.89	59	57						
20	NA	NA	5	RAIN	29.88	59	59						
21	NA	NA	5	RAIN	29.87	58	58						
22	NA	NA	5	RAIN	29.85	58	58						
23	NA	NA	5	RAIN	29.83	57	57						
24	NA	NA	5	RAIN	29.81	57	57						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 --VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Woburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Saturday (Day) 7 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock Number Two, U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Condition of Readiness V and Material Condition YOKE are set.

P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew on stations; no unauthorized absentees.

P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before.

P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before.

P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before.

P. F. FINCH
ENS USN

20-24 Resting on keel blocks as before.

P. F. FINCH
ENS USN

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION T5R DATE 8 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	4	OVC	29.72	56	56						
02	NA	NA	4	OVC	29.70	56	56						
03	NA	NA	4	OVC	29.68	55	55						
04	NA	NA	6	OVC	29.68	55	55						
05	NA	NA	6	OVC	29.69	56	55						
06	NA	NA	6	OVC	29.70	57	56						
07	NA	NA	6	OVC	29.72	57	56						
08	NA	NA	7	OVC	29.74	59	58						
09	NA	NA	7	OVC	29.74	61	59						
10	NA	NA	7	CLR	29.73	62	60						
11	NA	NA	7	CLR	29.72	63	61						
12	NA	NA	7	CLR	29.70	65	64						
13	NA	NA	7	CLR	29.68	67	66						
14	NA	NA	7	CLR	29.66	67	66						
15	NA	NA	7	OVC	29.64	65	64						
16	NA	NA	7	OVC	29.63	64	62						
17	NA	NA	5	OVC	29.61	63	63						
18	NA	NA	5	OVC	29.59	61	60						
19	NA	NA	5	OVC	29.58	61	60						
20	NA	NA	5	OVC	29.58	60	59						
21	NA	NA	5	OVC	29.58	60	59						
22	NA	NA	4	OVC	29.57	59	58						
23	NA	NA	4	OVC	29.59	57	56						
24	NA	NA	4	OVC	29.60	55	54						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 --VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week	Octant	Latitude	Longitude	GMT		Direction (True)	Speed (True)		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-496118

6

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 8 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	4	OVC	29.72	56	56						
02	NA	NA	4	OVC	29.70	56	56						
03	NA	NA	4	OVC	29.68	55	55						
04	NA	NA	6	OVC	29.68	55	55						
05	NA	NA	6	OVC	29.69	56	55						
06	NA	NA	6	OVC	29.70	57	56						
07	NA	NA	6	OVC	29.72	57	56						
08	NA	NA	7	OVC	29.74	59	58						
09	NA	NA	7	OVC	29.74	61	59						
10	NA	NA	7	CLR	29.73	62	60						
11	NA	NA	7	CLR	29.72	63	61						
12	NA	NA	7	CLR	29.70	65	64						
13	NA	NA	7	CLR	29.68	67	66						
14	NA	NA	7	CLR	29.66	67	66						
15	NA	NA	7	OVC	29.64	65	64						
16	NA	NA	7	OVC	29.63	64	62						
17	NA	NA	5	OVC	29.61	63	63						
18	NA	NA	5	OVC	29.59	61	60						
19	NA	NA	5	OVC	29.58	61	60						
20	NA	NA	5	OVC	29.58	60	59						
21	NA	NA	5	OVC	29.58	60	59						
22	NA	NA	4	OVC	29.59	59	58						
23	NA	NA	4	OVC	29.59	57	56						
24	NA	NA	4	OVC	29.60	55	54						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 --VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION		POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. Coburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Sunday (Day) 8 (Date) April (Month), 19 62

ADDITIONAL REMARKS

00-04 Resting on keel blocks in Drydock Number Two, U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Condition of Readines V and Material Condition YOKE are set.

for P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew on stations; no unauthorized absentees.

for P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before.

for P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before.

for P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before.

for P. F. FINCH
ENS USN

20-24 Resting on keel blocks as before.

for P. F. FINCH
ENS USN

APPROVED:

A. H. CRAIG, CDR U.S.N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U.S.N.R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE 9 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	OVC	29.60	52	51						
02	NA	NA	7	OVC	29.62	51	51						
03	NA	NA	7	OVC	29.64	51	51						
04	NA	NA	7	OVC	29.66	50	49						
05	NA	NA	7	OVC	29.67	49	49						
06	NA	NA	8	CLR	29.69	49	49						
07	NA	NA	8	CLR	29.69	50	49						
08	NA	NA	8	CLR	29.70	51	50						
09	NA	NA	8	CLR	29.72	52	50						
10	NA	NA	8	CLR	29.71	53	51						
11	NA	NA	8	CLR	29.73	54	52						
12	NA	NA	8	CLR	29.75	54	52						
13	NA	NA	8	CLR	29.75	54	53						
14	NA	NA	8	CLR	29.76	53	51						
15	NA	NA	8	CLR	29.76	52	50						
16	NA	NA	8	CLR	29.78	50	49						
17	NA	NA	8	CLR	29.79	49	48						
18	NA	NA	8	CLR	29.78	49	48						
19	NA	NA	7	CLR	29.76	48	47						
20	NA	NA	7	CLR	29.76	48	46						
21	NA	NA	7	CLR	29.75	46	45						
22	NA	NA	7	CLR	29.73	46	45						
23	NA	NA	7	CLR	29.71	45	44						
24	NA	NA	7	CLR	29.70	44	43						

POSITION	ZONE TIME
0800	
L	BY
λ	BY
1200	
L	BY
λ	BY
2000	
L	BY
λ	BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Coburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

NAVPERS 135 (REV. 1-51) **DECK LOG—ADDITIONAL REMARKS SHEET** PAGE _____

UNITED STATES SHIP ABBOT (DD-629) Monday (Day) 9 (Date) April (Month), 19 62

ADDITIONAL REMARKS

00-04 Resting on keel blocks in Drydock Number Two, U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Condition of Readiness V and Material Condition YOKE are set.

J. P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before.

J. P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before. 0900 Mustered the crew on station. Unauthorized absentees: KENDALL, R.F., 543 19 40, SN, USN and REEDY, G. A., 543 29 06, FN, USN. 0914 KENDALL, R.F., 543 19 40, SN, USN and REEDY, G. A., 543 29 06, FN, USN returned to the ship having been UA since 0900 this date a period of fourteen (14) minutes.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

16-20 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

20-24 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N.R NAVIGATOR.

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH
(Emergency Printing)

NAVY—DPPO 5ND NorVa

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 10 APRIL 1962

AT ~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	CLR	29.69	45	45						
02	NA	NA	7	CLR	29.70	45	45						
03	NA	NA	7	CLR	29.72	46	45						
04	NA	NA	7	CLR	29.74	46	45						
05	NA	NA	7	CLR	29.75	45	45						
06	NA	NA	8	CLR	29.77	45	45						
07	NA	NA	8	CLR	29.78	47	47						
08	NA	NA	8	CLR	29.79	49	48						
09	NA	NA	8	CLR	29.77	51	50						
10	NA	NA	8	CLR	29.75	53	52						
11	NA	NA	8	CLR	29.76	54	53						
12	NA	NA	8	BKN	29.74	56	55						
13	NA	NA	7	BKN	29.72	58	57						
14	NA	NA	7	BKN	29.72	59	58						
15	NA	NA	7	BKN	29.73	60	60						
16	NA	NA	7	BKN	29.74	62	61						
17	NA	NA	7	BKN	29.74	63	62						
18	NA	NA	8	CLR	29.76	61	60						
19	NA	NA	8	CLR	29.78	62	60						
20	NA	NA	8	CLR	29.80	60	59						
21	NA	NA	8	CLR	29.79	58	57						
22	NA	NA	8	CLR	29.79	58	57						
23	NA	NA	8	CLR	29.78	57	56						
24	NA	NA	8	CLR	29.77	56	55						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robert LOG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE: 1959—J-496118

FOR OFFICIAL USE ONLY
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Tuesday (Day) 10 (Date) April (Month), 19 62

00-04 Resting on keel blocks in Drydock Number Two, U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. WILLIS A. LEE (DL-4). Condition of Readiness V and Material Condition YOKE are set.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. Unauthorized: NONE.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

08-12 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 11 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.80	59	58						
02	NA	NA	8	CLR	29.82	57	56						
03	NA	NA	8	CLR	29.84	55	54						
04	NA	NA	8	CLR	29.86	54	53						
05	NA	NA	8	CLR	29.87	52	50						
06	NA	NA	8	CLR	29.89	51	50						
07	NA	NA	8	CLR	29.91	49	48						
08	NA	NA	8	CLR	29.93	48	48						
09	NA	NA	8	CLR	29.95	47	46						
10	NA	NA	8	CLR	29.97	49	47						
11	NA	NA	8	CLR	29.99	50	49						
12	NA	NA	8	CLR	30.00	52	52						
13	NA	NA	8	CLR	30.02	54	53						
14	NA	NA	8	CLR	30.04	56	54						
15	NA	NA	8	CLR	30.05	57	56						
16	NA	NA	8	CLR	30.06	58	57						
17	NA	NA	8	CLR	30.08	57	56						
18	NA	NA	8	CLR	30.06	57	56						
19	NA	NA	8	CLR	30.05	57	56						
20	NA	NA	8	CLR	30.04	56	56						
21	NA	NA	8	CLR	30.04	55	55						
22	NA	NA	8	CLR	30.03	55	55						
23	NA	NA	8	CLR	30.02	54	53						
24	NA	NA	8	CLR	30.01	53	53						

POSITION	ZONE TIME
0800	
L ____ BY ____	
λ ____ BY ____	
1200	
L ____ BY ____	
λ ____ BY ____	
2000	
L ____ BY ____	
λ ____ BY ____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 --VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)

TO ____ (ZT) ____ (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

CURRENT DATA

FROM ____ (ZT) ____ (Date)

TO ____ (ZT) ____ (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP: Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	TIME GMT	Total Cloud Amt (Coded)	WIND: Direction (True) (00-36)	WIND: Speed (True) (Knots)	Visibility (90-99)	WEATHER: Present (00-99)	WEATHER: Past	PRESSURE: Barometer Corrected (mb)	Air Temp (°F)	CLOUDS: Amount of C_L Clouds (Coded)	CLOUDS: Type C_L (0-9)	CLOUDS: Height C_L Clouds (Coded)	CLOUDS: Type C_M (0-9)	CLOUDS: Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM ____ (ZT) ____ (Date)

TO ____ (ZT) ____ (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY: Characteristic (0-9)	3-HOUR PRESSURE TENDENCY: Amount Change (mb and tenths)	SIGNIFICANT CLOUD: Indicator	SIGNIFICANT CLOUD: Amount (Eighths)	SIGNIFICANT CLOUD: Type	SIGNIFICANT CLOUD: Height	Indicator	Diff. Sea Air °F	Dew Point °F	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: Height	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: HEIGHT	ICE: Kind	ICE: Effect	ICE: Bearing	ICE: Distance	ICE: Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_Ts_s	T_Td_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Woburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Wednesday 11 April 19 62
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all utilities from the pier. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. WILLIS A. LEE (DL-4). Other ships present are various units of the U.S. Atlantic Fleet, Allied Fleets, and local service craft.

P. B. Ellis
P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. Unauthorized absentees: NONE.

P. B. Ellis
P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Resting on keel blocks as before. 1550 Pursuant to Commanding Officer, U.S.S. ABBOT (DD-629) serial 134, LTJG C. T. BAYLEY, 636658,USN, returned to the ship from two weeks TAD, AFPD, Boston, Mass.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 12 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	OVC	30.08	51	50						
02	NA	NA	5	OVC	30.10	50	50						
03	NA	NA	5	OVC	30.12	50	50						
04	NA	NA	6	OVC	30.13	51	50						
05	NA	NA	6	OVC	30.15	51	50						
06	NA	NA	7	OVC	30.17	49	48						
07	NA	NA	7	OVC	30.19	48	47						
08	NA	NA	7	OVC	30.20	49	48						
09	NA	NA	7	OVC	30.21	49	48						
10	NA	NA	7	OVC	30.21	49	48						
11	NA	NA	6	OVC	30.21	49	49						
12	NA	NA	6	OVC	30.21	49	49						
13	NA	NA	5	OVC	30.20	49	48						
14	NA	NA	4	OVC	30.20	48	48						
15	NA	NA	4	OVC	30.18	47	46						
16	NA	NA	5	OVC	30.20	46	45						
17	NA	NA	5	OVC	30.19	45	45						
18	NA	NA	4	OVC	30.18	45	45						
19	NA	NA	4	OVC	30.16	44	44						
20	NA	NA	4	OVC	30.17	44	44						
21	NA	NA	4	OVC	30.15	44	44						
22	NA	NA	4	OVC	30.13	44	44						
23	NA	NA	4	OVC	30.11	42	42						
24	NA	NA	4	OVC	30.09	41	40						

POSITION	ZONE TIME
0800	
L ____	BY ____
λ ____	BY ____
1200	
L ____	BY ____
λ ____	BY ____
2000	
L ____	BY ____
λ ____	BY ____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) GMT	POSITION OF SHIP: Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	TIME GMT	Total Cloud Amt (Coded)	WIND: Direction (True) (00-36)	WIND: Speed (True) (Knots)	Visibility (90-99)	WEATHER: Present (00-99)	WEATHER: Past	PRESSURE: Barometer Corrected (mb)	Air Temp (°F)	CLOUDS: Amount of C_L Clouds (Coded)	CLOUDS: Type C_L (0-9)	CLOUDS: Height C_L Clouds (Coded)	CLOUDS: Type C_M (0-9)	CLOUDS: Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY: Characteristic (0-9)	3-HOUR PRESSURE TENDENCY: Amount Change (mb and tenths)	SIGNIFICANT CLOUD: Indicator	SIGNIFICANT CLOUD: Amount (Eighths)	SIGNIFICANT CLOUD: Type	SIGNIFICANT CLOUD: Height	Indicator	Diff. Sea Air °F	Dew Point °F	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: Height	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: HEIGHT	ICE: Kind	ICE: Effect	ICE: Bearing	ICE: Distance	ICE: Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robuck LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE: 1959—J-496118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Thursday (Day) 12 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Mass. This ship receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE (Modified) are set. SOPA is Commanding Officer, W. A. LEE (DL-4). Ships present include various units of U.S. Atlantic and Allied Fleets.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Resting on keel blocks as before. 0815 Secured all fresh water. 1100 Restored all fresh water to the ship.

P. F. Finch
P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before. The Commanding Officer held mast and imposed non-judicial punishment as follows: BRUCE, R. J., 479 70 56, SN, Offense: Violation of Article 92, Failure to obey a lawful order. Punishment: Two (2) weeks extra duty.

P. F. Finch
P. F. FINCH
ENS USN

20-24 Resting on keel blocks as b efore.

P. F. Finch
P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 13 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	RAIN	30.00	39	39						
02	NA	NA	5	RAIN	29.98	38	38						
03	NA	NA	5	RAIN	29.96	38	38						
04	NA	NA	5	RAIN	29.94	40	40						
05	NA	NA	5	RAIN	29.93	42	41						
06	NA	NA	5	RAIN	29.91	41	41						
07	NA	NA	5	RAIN	29.89	41	40						
08	NA	NA	5	RAIN	29.87	42	41						
09	NA	NA	5	RAIN	29.85	44	42						
10	NA	NA	5	RAIN	29.83	44	42						
11	NA	NA	5	RAIN	29.81	46	45						
12	NA	NA	5	RAIN	29.80	46	45						
13	NA	NA	5	RAIN	29.78	45	45						
14	NA	NA	5	RAIN	29.78	46	45						
15	NA	NA	5	RAIN	29.79	46	45						
16	NA	NA	6	OVC	29.79	44	43						
17	NA	NA	6	OVC	29.78	43	42						
18	NA	NA	6	OVC	29.77	43	42						
19	NA	NA	6	OVC	29.78	41	40						
20	NA	NA	5	RAIN	29.78	39	38						
21	NA	NA	5	RAIN	29.79	39	38						
22	NA	NA	5	RAIN	29.79	37	36						
23	NA	NA	5	RAIN	29.76	37	36						
24	NA	NA	5	RAIN	29.74	36	36						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)		(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED Roburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Nov 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Friday (Day) 13 (Date) April (Month) 19 62

00-04 Resting on keel blocks in drydock #2 at U.S. Naval Shipyard, Boston, Mass. Receiving all services from the pier. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. WILLIS A. LES (DL-4). Condition of Readiness V and Material Condition YOKE are set.

P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; one (1) unauthorized absentee: CORNELL, F. F., 514 52 33, SN. 0755 CORNELL, F. F. returned to the ship, AOL since 0730 this date, a period of about 25 minutes.

P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 14 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	RAIN	29.76	36	35						
02	NA	NA	5	RAIN	29.75	36	36						
03	NA	NA	5	RAIN	29.73	36	36						
04	NA	NA	5	RAIN	29.71	38	37						
05	NA	NA	5	RAIN	29.70	40	39						
06	NA	NA	5	RAIN	29.69	41	40						
07	NA	NA	6	OVC	29.67	43	43						
08	NA	NA	6	OVC	29.66	44	44						
09	NA	NA	6	OVC	29.64	44	44						
10	NA	NA	6	OVC	29.65	43	42						
11	NA	NA	7	OVC	29.67	45	44						
12	NA	NA	7	OVC	29.69	47	46						
13	NA	NA	7	OVC	29.71	49	48						
14	NA	NA	7	OVC	29.73	48	48						
15	NA	NA	7	OVC	29.74	47	46						
16	NA	NA	7	OVC	29.75	46	45						
17	NA	NA	7	OVC	29.74	47	45						
18	NA	NA	7	OVC	29.72	49	49						
19	NA	NA	7	OVC	29.71	48	47						
20	NA	NA	7	OVC	29.69	46	45						
21	NA	NA	7	OVC	29.67	45	45						
22	NA	NA	7	OVC	29.65	44	43						
23	NA	NA	7	OVC	29.64	43	42						
24	NA	NA	7	OVC	29.62	43	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Now 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Saturday 14 April 19 62
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Mass. Receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. WILLIS A. LEE (DL-4) . Other ships present include various units of the U.S. Atlantic Fleet and Allied Fleets, and local service craft.

P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew on stations. No unauthorized absentees.

P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 15 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.62	43	41						
02	NA	NA	8	CLR	29.62	41	40						
03	NA	NA	8	CLR	29.62	40	39						
04	NA	NA	8	CLR	29.61	38	37						
05	NA	NA	8	CLR	29.61	39	39						
06	NA	NA	8	CLR	29.63	40	40						
07	NA	NA	8	CLR	29.64	42	40						
08	NA	NA	8	CLR	29.65	44	42						
09	NA	NA	8	CLR	29.67	46	45						
10	NA	NA	8	CLR	29.66	47	45						
11	NA	NA	8	CLR	29.65	49	48						
12	NA	NA	8	CLR	29.63	51	50						
13	NA	NA	8	CLR	29.61	53	52						
14	NA	NA	8	CLR	29.62	55	53						
15	NA	NA	8	OVC	29.61	53	52						
16	NA	NA	8	OVC	29.63	51	50						
17	NA	NA	8	OVC	29.63	49	48						
18	NA	NA	7	RAIN	29.63	47	47						
19	NA	NA	7	RAIN	29.62	46	46						
20	NA	NA	7	RAIN	29.64	45	44						
21	NA	NA	7	RAIN	29.64	43	42						
22	NA	NA	5	SNOW	29.65	42	42						
23	NA	NA	5	SNOW	29.64	41	40						
24	NA	NA	5	SNOW	29.64	40	39						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff See Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED Roburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Sunday (Day) 15 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock # Two at U.S. Naval Shipyard, Boston, Mass. Receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. WILLIS A. LEE (DL-4). Other ships present include various units of the U.S. Atlantic Fleet and Allied Fleets, and local service craft.

P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before. 0800 Mustered the crew on stations. No unauthorized absentees.

P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before. 1700 LTJG Paul R. FELIMAN, USNR-R, 634229/1105, reported aboard for two weeks active duty in accordance with Commandant, 3rd Naval District orders ser no 110-2632. Embarked 16 Naval Reservists for two weeks Active duty in accordance with COM 3 Ser 210.

P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 16 APRIL 19 62

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	SNOW	29.64	40	39						
02	NA	NA	5	SNOW	29.64	40	39						
03	NA	NA	5	SNOW	29.62	39	38						
04	NA	NA	5	SNOW	29.60	38	38						
05	NA	NA	5	SNOW	29.58	37	37						
06	NA	NA	5	SNOW	29.59	38	37						
07	NA	NA	5	SNOW	29.60	38	37						
08	NA	NA	7	BKN	29.60	38	37						
09	NA	NA	7	BKN	29.62	39	38						
10	NA	NA	7	BKN	29.64	37	37						
11	NA	NA	8	CLR	29.66	36	36						
12	NA	NA	8	CLR	29.68	36	36						
13	NA	NA	8	CLR	29.70	36	36						
14	NA	NA	8	CLR	29.71	37	36						
15	NA	NA	8	CLR	29.73	39	38						
16	NA	NA	8	CLR	29.75	41	40						
17	NA	NA	8	CLR	29.77	43	42						
18	NA	NA	8	CLR	29.79	44	43						
19	NA	NA	6	OVC	29.81	43	43						
20	NA	NA	6	OVC	29.82	42	41						
21	NA	NA	6	OVC	29.84	41	41						
22	NA	NA	6	OVC	29.86	39	39						
23	NA	NA	6	OVC	29.88	40	39						
24	NA	NA	6	OVC	29.90	42	41						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff See Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Monday (Day) 16 (Date) April (Month) 62, 19

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Mass. Receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. WILLIS A. LEE (DL-4). Other ships present include various units of the U.S. Atlantic Fleet and Allied Fleets, and local service craft.

P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before.

P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before. 0900 Mustered the crew on station. Unauthorized absentees: NONE.

DONALD P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

16-20 Resting on keel blocks as before. 1616 Commanding Officer, U.S.S. THOR (ARC-4) resumed the duties of SOPA.

for JOHN M. KELLEHER
ENS USNR

20-24 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 17 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	6	OVC	29.93	40	39						
02	NA	NA	6	OVC	29.94	39	38						
03	NA	NA	6	OVC	29.95	38	37						
04	NA	NA	6	OVC	29.95	38	37						
05	NA	NA	6	OVC	29.94	40	39						
06	NA	NA	6	OVC	29.94	42	41						
07	NA	NA	6	OVC	29.94	43	42						
08	NA	NA	8	OVC	29.95	45	44						
09	NA	NA	8	OVC	2997	46	45						
10	NA	NA	8	OVC	29.99	45	45						
11	NA	NA	8	OVC	30.00	45	45						
12	NA	NA	8	OVC	30.02	45	45						
13	NA	NA	8	OVC	30.01	46	45						
14	NA	NA	8	OVC	30.01	44	43						
15	NA	NA	8	OVC	30.00	44	44						
16	NA	NA	8	OVC	29.98	46	45						
17	NA	NA	8	OVC	2998	47	47						
18	NA	NA	8	OVC	29.97	45	45						
19	NA	NA	8	OVC	29.97	46	46						
20	NA	NA	7	OVC	29.98	45	44						
21	NA	NA	7	OVC	29.97	43	43						
22	NA	NA	7	OVC	29.97	44	43						
23	NA	NA	7	OVC	29.96	43	43						
24	NA	NA	7	OVC	29.95	43	43						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS						
		Octant	Latitude	Longitude		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)		
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)		(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robourn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Tuesday (Day) 17 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock # two at U.S. Naval Shipyard, Boston, Massachusetts. Receiving all utitlies from the dock. Ships present include various units of the U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Condition of Readiness V and Material Condition YOKE are set.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. Unauthorized absentees: NONE.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

08-12 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 18 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.94	41	40						
02	NA	NA	8	CLR	29.92	40	40						
03	NA	NA	8	CLR	29.91	38	38						
04	NA	NA	8	CLR	29.90	37	37						
05	NA	NA	8	CLR	29.90	37	37						
06	NA	NA	8	CLR	29.90	38	38						
07	NA	NA	8	CLR	29.91	39	38						
08	NA	NA	8	CLR	29.93	39	38						
09	NA	NA	8	CLR	29.94	41	40						
10	NA	NA	8	CLR	29.92	43	42						
11	NA	NA	8	CLR	29.90	45	44						
12	NA	NA	8	CLR	2990	48	47						
13	NA	NA	8	CLR	29.88	50	49						
14	NA	NA	8	CLR	29.86	52	51						
15	NA	NA	8	CLR	29.84	54	53						
16	NA	NA	8	CLR	29.83	52	51						
17	NA	NA	8	CLR	29.82	50	49						
18	NA	NA	8	CLR	29.84	49	49						
19	NA	NA	8	CLR	29.84	49	48						
20	NA	NA	8	CLR	29.85	47	46						
21	NA	NA	8	CLR	29.86	46	46						
22	NA	NA	8	CLR	29.88	46	46						
23	NA	NA	8	CLR	2987	45	45						
24	NA	NA	8	CLR	29.86	46	45						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(0-9)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Wednesday (Day) 18 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Mass. Receiving all utilities from the dock. Condition of Readiness V and Material Condition YOKE (Modified) are set. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Ships present include various units of U.S. Atlantic and Allied Fleets.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

20-24 Resting on keel blocks as b efore.

P. F. Finch
P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 19 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	BKN	29.83	46	45						
02	NA	NA	7	BKN	29.83	46	45						
03	NA	NA	7	BKN	29.82	45	43						
04	NA	NA	7	BKN	29.82	44	43						
05	NA	NA	7	BKN	29.83	42	41						
06	NA	NA	8	CLR	29.85	44	43						
07	NA	NA	8	CLR	29.86	45	44						
08	NA	NA	8	CLR	29.86	47	46						
09	NA	NA	8	CLR	29.86	49	47						
10	NA	NA	8	CLR	29.85	50	49						
11	NA	NA	8	CLR	29.85	50	49						
12	NA	NA	8	CLR	29.84	49	48						
13	NA	NA	8	CLR	29.86	48	47						
14	NA	NA	6	OVC	29.87	47	46						
15	NA	NA	6	OVC	29.85	47	46						
16	NA	NA	6	OVC	29.85	48	48						
17	NA	NA	6	OVC	29.84	47	47						
18	NA	NA	6	OVC	29.83	47	47						
19	NA	NA	6	OVC	29.84	46	46						
20	NA	NA	6	OVC	29.86	46	46						
21	NA	NA	6	OVC	29.88	46	45						
22	NA	NA	6	OVC	29.89	46	45						
23	NA	NA	6	OVC	29.91	45	45						
24	NA	NA	6	OVC	29.90	45	45						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED Roburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Thursday 19 April 19 62
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Ships present include various units of U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE are set.

P. F. Finch
P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

P. F. Finch
P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 20 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	OVC	29.90	45	45						
02	NA	NA	5	OVC	29.91	45	45						
03	NA	NA	5	OVC	29.93	45	45						
04	NA	NA	5	OVC	29.95	46	45						
05	NA	NA	6	OVC	29.96	46	45						
06	NA	NA	6	OVC	29.96	47	46						
07	NA	NA	6	OVC	29.97	47	46						
08	NA	NA	6	OVC	29.98	49	48						
09	NA	NA	6	OVC	29.99	51	50						
10	NA	NA	6	OVC	30.00	52	51						
11	NA	NA	6	OVC	30.01	54	53						
12	NA	NA	6	OVC	30.02	56	54						
13	NA	NA	6	OVC	30.02	57	56						
14	NA	NA	8	CLR	30.02	57	56						
15	NA	NA	8	CLR	30.02	57	56						
16	NA	NA	8	CLR	30.04	56	54						
17	NA	NA	8	CLR	30.06	54	53						
18	NA	NA	8	CLR	30.06	51	50						
19	NA	NA	8	CLR	30.07	49	48						
20	NA	NA	8	CLR	30.09	48	47						
21	NA	NA	8	CLR	30.10	46	45						
22	NA	NA	8	CLR	30.10	46	45						
23	NA	NA	8	CLR	30.11	45	44						
24	NA	NA	8	CLR	30.13	45	44						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)		(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Woburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Rev 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Friday (Day) 20 (Date) April (Month) 62 19

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all services from the dock. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. THOR (ARC-4). Other ships present include various units of the U.S. Atlantic Fleet and Allied Fleets, and local service craft.

P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. No unauthorized absentees.

P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

JOHN M. KELLEHER
ENS USNR

16-20 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

20-24 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 21 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.10	44	43						
02	NA	NA	8	CLR	30.10	44	43						
03	NA	NA	8	CLR	30.11	44	43						
04	NA	NA	8	CLR	30.11	45	44						
05	NA	NA	8	CLR	30.12	46	45						
06	NA	NA	8	CLR	30.12	48	46						
07	NA	NA	8	CLR	30.12	48	47						
08	NA	NA	8	CLR	30.12	50	49						
09	NA	NA	8	CLR	30.12	52	51						
10	NA	NA	8	CLR	30.13	54	53						
11	NA	NA	8	CLR	30.15	55	53						
12	NA	NA	8	CLR	30.14	57	55						
13	NA	NA	8	CLR	30.13	59	58						
14	NA	NA	8	CLR	30.11	59	59						
15	NA	NA	8	CLR	30.09	61	60						
16	NA	NA	8	CLR	30.08	60	60						
17	NA	NA	8	CLR	30.06	60	60						
18	NA	NA	8	CLR	30.05	59	59						
19	NA	NA	8	CLR	30.03	57	57						
20	NA	NA	8	CLR	30.01	56	54						
21	NA	NA	8	CLR	29.99	55	54						
22	NA	NA	8	CLR	29.98	53	52						
23	NA	NA	8	CLR	29.98	51	51						
24	NA	NA	8	CLR	29.97	51	51						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)		(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Coburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Now 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Saturday (Day) 21 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all services from the pier. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Ships present include various units of the U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE are set.

D. P. GRINNELL
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew on station. Unauthorized absentees: NONE.

D. P. GRINNELL
ENS USN

08-12 Resting on keel blocks as before.

D. P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

D. P. GRINNELL
ENS USN

16-20 Resting on keel blocks as before.

D. P. GRINNELL
ENS USN

20-24 Resting on keel blocks as before.

DONAID P. GRINNELL
ENS USN

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 22 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.95	50	50						
02	NA	NA	8	CLR	29.93	50	50						
03	NA	NA	8	CLR	29.91	51	50						
04	NA	NA	8	CLR	29.90	52	51						
05	NA	NA	8	CLR	29.89	52	51						
06	NA	NA	8	CLR	29.87	54	53						
07	NA	NA	8	CLR	29.85	56	55						
08	NA	NA	8	CLR	29.84	58	57						
09	NA	NA	8	CLR	29.82	59	58						
10	NA	NA	8	CLR	29.80	61	60						
11	NA	NA	8	CLR	29.78	63	61						
12	NA	NA	8	CLR	29.76	66	65						
13	NA	NA	8	CLR	29.74	68	67						
14	NA	NA	8	CLR	29.73	69	68						
15	NA	NA	8	CLR	29.73	72	70						
16	NA	NA	8	CLR	29.71	74	72						
17	NA	NA	8	CLR	29.69	76	74						
18	NA	NA	8	CLR	29.67	75	74						
19	NA	NA	8	CLR	29.65	75	74						
20	NA	NA	8	CLR	29.63	73	72						
21	NA	NA	8	CLR	29.61	71	70						
22	NA	NA	8	CLR	29.60	69	68						
23	NA	NA	8	CLR	29.58	68	68						
24	NA	NA	8	CLR	29.56	66	65						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction (True)	Speed (True)		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Woburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Sunday (Day) 22 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all services from the dock. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Ships present include various units of the U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE are set.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

04-08 Resting on keel blocks as before. 0605 TOLLERTON, V. P., 898 16 17, HM1, USNR-R returned to the ship from Shore Patrol duty.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

08-12 Resting on keel blocks as before. 0800 Mustered the crew on station. Unauthorized absentees: NONE.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

16-20 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

20-24 Resting on keel blocks as before.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 23 APRIL 19 62

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	2946	66	65						
02	NA	NA	8	CLR	2944	66	65						
03	NA	NA	8	CLR	2943	66	65						
04	NA	NA	8	CLR	2941	66	64						
05	NA	NA	8	CLR	29.39	65	65						
06	NA	NA	8	CLR	29.38	67	66						
07	NA	NA	8	CLR	29.36	68	67						
08	NA	NA	6	CLR	29.39	68	67						
09	NA	NA	6	CLR	29.38	70	69						
10	NA	NA	6	CLR	29.39	71	70						
11	NA	NA	6	CLR	2940	73	71						
12	NA	NA	6	CLR	29.39	72	71						
13	NA	NA	6	OVC	2941	70	69						
14	NA	NA	6	OVC	29.43	68	67						
15	NA	NA	6	OVC	29.45	67	66						
16	NA	NA	6	OVC	29.46	65	64						
17	NA	NA	7	OVC	2948	63	62						
18	NA	NA	7	OVC	2950	62	62						
19	NA	NA	7	BKN	29.51	60	59						
20	NA	NA	7	BKN	2953	58	57						
21	NA	NA	7	BKN	29.55	56	55						
22	NA	NA	7	BKN	29.57	54	54						
23	NA	NA	7	BKN	29.59	52	51						
24	NA	NA	7	BKN	2960	51	50						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)		(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY
NAVPERS-719 (Rev 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Monday (Day) 23 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all services from the dock. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Ships present include various units of the U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE are set.

Donald P. Grinnell
DONALD P. GRINNELL
ENS USN

04-08 Resting on keel blocks as before.

for Coburn
JOHN M. KELLEHER
ENS USNR

08-12 Resting on keel blocks as before. 0900 Mustered the crew on station; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Resting on keel blocks as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Resting on keel blocks as before.

Eugne J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 24 APRIL 19 62

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD TO BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	7	BKN	29.61	51	50						
02	NA	NA	7	BKN	29.63	50	50						
03	NA	NA	7	BKN	29.63	50	49						
04	NA	NA	7	BKN	29.64	51	50						
05	NA	NA	8	CLR	29.66	52	51						
06	NA	NA	8	CLR	29.67	54	53						
07	NA	NA	8	CLR	29.66	55	55						
08	NA	NA	8	CLR	29.68	56	55						
09	NA	NA	8	CLR	29.70	58	57						
10	NA	NA	8	CLR	29.72	59	58						
11	NA	NA	8	CLR	29.74	60	60						
12	NA	NA	8	CLR	29.75	62	61						
13	NA	NA	8	CLR	29.74	64	63						
14	NA	NA	8	CLR	29.76	65	64						
15	NA	NA	8	CLR	29.78	67	66						
16	NA	NA	8	CLR	29.79	69	68						
17	NA	NA	7	OVC	29.78	68	67						
18	NA	NA	7	OVC	29.77	68	67						
19	NA	NA	7	OVC	29.77	67	66						
20	NA	NA	7	OVC	29.76	65	64						
21	NA	NA	7	OVC	29.75	63	61						
22	NA	NA	7	BKN	29.76	61	60						
23	NA	NA	7	BKN	29.77	59	58						
24	NA	NA	7	BKN	29.77	58	57						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Rev 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Tuesday 24 April 19 62
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. The ship is receiving all utilities from the pier. Condition of Readiness V and Material Condition YOKE ~~(Modified)~~ are set. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61).

C

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; unauthorized absentee: REEDY, G. A., 543 29 06, FN, USN, since 0715 this date.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

12-16 Resting on keel blocks as before. 1234 REEDY, G. A., 543 29 06, FN returned aboard after being AWOL since 0730 this date, a period of about 5 hours and 4 minutes. 1530 The Commanding Officer held mast and imposed non-judicial punishment as follows: JENKINS, 528 46 53, RD2, USN, Offense: Article 92, UCMJ, Failure to obey a lawful order. Punishment: Reduction to the next inferior rate, RD3.

P. F. Finch
P. F. FINCH
ENS USN

16-20 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

20-24 Resting on keel blocks as before.

P. F. Finch
P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 25 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.77	56	55						
02	NA	NA	8	CLR	29.78	56	55						
03	NA	NA	8	CLR	29.78	55	54						
04	NA	NA	8	CLR	29.77	55	55						
05	NA	NA	8	CLR	29.76	57	56						
06	NA	NA	8	CLR	29.75	58	57						
07	NA	NA	8	CLR	29.74	60	59						
08	NA	NA	8	CLR	29.76	61	60						
09	NA	NA	8	CLR	29.78	63	62						
10	NA	NA	8	CLR	29.79	65	64						
11	NA	NA	8	CLR	29.81	66	64						
12	NA	NA	8	CLR	29.83	67	65						
13	NA	NA	8	CLR	29.84	69	67						
14	NA	NA	8	CLR	29.86	67	66						
15	NA	NA	8	CLR	29.88	65	64						
16	NA	NA	8	CLR	29.90	63	61						
17	NA	NA	8	CLR	29.91	61	60						
18	NA	NA	8	CLR	29.93	59	58						
19	NA	NA	8	CLR	29.95	57	56						
20	NA	NA	8	CLR	29.97	56	55						
21	NA	NA	8	CLR	29.98	54	53						
22	NA	NA	8	CLR	29.99	52	51						
23	NA	NA	8	CLR	30.01	50	50						
24	NA	NA	8	CLR	30.01	49	49						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)		(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED Roburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Now 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Wednesday (Day) 25 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Dry Dock #2 at U.S. Naval Shipyard, Boston, Massachusetts. Receiving all services from the dock. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Ships present include various units of the U.S. Atlantic and Allied Fleets. Condition of Readiness V and Material Condition YOKE are set.

P. F. Finch
P. F. FINCH
ENS USN

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

P. F. Finch
P. F. FINCH
ENS USN

08-12 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

12-16 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

16-20 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

20-24 Resting on keel blocks as before.

P. B. Ellis
P. B. ELLIS
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 26 APRIL 1962

AT ~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.02	47	46						
02	NA	NA	8	CLR	30.04	45	44						
03	NA	NA	8	CLR	30.06	44	43						
04	NA	NA	8	CLR	30.07	42	41						
05	NA	NA	8	CLR	30.09	41	40						
06	NA	NA	8	CLR	30.10	42	41						
07	NA	NA	8	CLR	30.11	43	42						
08	NA	NA	8	CLR	30.11	45	44						
09	NA	NA	8	CLR	30.12	47	46						
10	NA	NA	8	CLR	30.10	48	47						
11	NA	NA	8	CLR	30.08	48	47						
12	NA	NA	8	CLR	30.06	50	49						
13	NA	NA	8	CLR	30.04	50	49						
14	NA	NA	8	CLR	30.05	50	49						
15	NA	NA	8	CLR	30.06	51	50						
16	NA	NA	8	CLR	30.08	49	48						
17	NA	NA	8	CLR	30.07	48	47						
18	NA	NA	8	CLR	30.05	46	45						
19	NA	NA	8	CLR	30.04	46	45						
20	NA	NA	8	CLR	30.02	45	44						
21	NA	NA	8	CLR	30.01	43	42						
22	NA	NA	8	CLR	30.01	42	41						
23	NA	NA	8	CLR	30.00	42	41						
24	NA	NA	8	CLR	30.00	41	40						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction (True)	Speed (True)		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED Robert L. Fox U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

FOR OFFICIAL USE ONLY

NAVPERS-719 (Nov 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Thursday 26 April 19 62
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock #2 at U.S. Naval Shipyard, Boston, Mass. Receiving all services from the dock. Condition of Readiness V and Material Condition YOKE are set. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Other ships present include various units of the U.S. Atlantic Fleet and Allied Fleets, and local service craft.

P. B. ELLIS
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. No unauthorized absentees.

P. B. ELLIS
ENS USNR

08-12 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

12-16 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

16-20 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

20-24 Resting on keel blocks as before.

DONALD P. GRINNELL
ENS USN

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N.R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 27 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.02	45	45						
02	NA	NA	8	CLR	30.01	46	45						
03	NA	NA	8	CLR	29.99	47	46						
04	NA	NA	8	CLR	29.97	47	46						
05	NA	NA	8	CLR	29.96	46	45						
06	NA	NA	8	CLR	29.94	48	47						
07	NA	NA	8	CLR	29.92	50	49						
08	NA	NA	8	CLR	29.92	53	51						
09	NA	NA	8	CLR	29.91	55	54						
10	NA	NA	8	CLR	29.89	57	55						
11	NA	NA	8	CLR	29.87	60	58						
12	NA	NA	8	CLR	2785	65	64						
13	NA	NA	8	CLR	29.84	69	68						
14	NA	NA	8	CLR	29.82	72	71						
15	NA	NA	8	CLR	29.81	74	73						
16	NA	NA	8	CLR	29.79	77	76						
17	NA	NA	8	CLR	29.77	80	79						
18	NA	NA	8	CLR	29.78	81	80						
19	NA	NA	8	CLR	29.80	82	80						
20	NA	NA	7	CLR	29.82	79	78						
21	NA	NA	7	CLR	2784	76	75						
22	NA	NA	7	CLR	2785	73	71						
23	NA	NA	7	CLR	29.87	70	69						
24	NA	NA	7	CLR	29.89	68	67						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R Woburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-499118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Friday (Day) 27 (Date) April (Month) 19 62

00-04 Resting on keel blocks in Drydock #2, U.S. Naval Shipyard, Boston, Mass. Receiving all services from the pier. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Ships present include various units of the U.S. Atlantic and Allied Fleets. 0001 Fresh water supply to ship secured. Condition of Readiness V and material condition C C Yoke and set.

for JOHN M. KELLEHER
ENS USNR

04-08 Resting on keel blocks as before. 0730 Mustered the crew at quarters. Unauthorized absentees: NONE. 0745 Inspection completed of all hull openings.

DONALD P. GRINNELL
ENS USN

08-12 Resting on keel blocks as before. 0810 Commenced flooding drydock. 0940 Commenced pumping water out of drydock, having found two discrepancies to the ships watertight integrity.

EUGENE J. GALLAGHER
ENS USNR

12-16 Resting on keel blocks as before. 1335 Flooding commenced in drydock. 1425 Inspection completed of all spaces for watertight integrity. 1444 Ship clear of keel blocks. All services disconnected.

EUGENE J. GALLAGHER
ENS USNR

16-20 Underway, while undocking. 1600 Set the Special Sea Detail. 1615 Pilot, C. RICHARDS, came on board. 1623 Commenced moving ship clear of dock. 1626 YTM 540 came alongside the stern. 1629 Stern passed over sill. 1634 YTM 367 alongside port beam. 1635 Bow passed over sill. 1639 Ship moored starboard side to Pier #4, U.S. Naval Shipyard, Boston, Mass. with standard destroyer mooring lines, doubled. Pilot left the ship. 1745 All utilities have been restored.

EUGENE J. GALLAGHER
ENS USNR

20-24 Moored as before.

EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 28 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	29.90	68	67						
02	NA	NA	8	CLR	29.92	68	67						
03	NA	NA	8	CLR	29.93	69	68						
04	NA	NA	8	CLR	29.93	71	70						
05	NA	NA	8	CLR	29.94	72	71						
06	NA	NA	8	CLR	29.96	74	73						
07	NA	NA	8	CLR	29.98	76	74						
08	NA	NA	8	CLR	29.99	76	74						
09	NA	NA	8	CLR	29.99	77	76						
10	NA	NA	8	CLR	30.00	79	77						
11	NA	NA	8	CLR	30.02	80	79						
12	NA	NA	8	CLR	30.04	81	80						
13	NA	NA	8	CLR	30.06	83	81						
14	NA	NA	8	CLR	30.08	85	83						
15	NA	NA	8	CLR	30.09	87	85						
16	NA	NA	8	CLR	30.11	87	86						
17	NA	NA	8	CLR	30.13	86	85						
18	NA	NA	8	CLR	30.14	84	83						
19	NA	NA	8	CLR	30.12	81	81						
20	NA	NA	8	CLR	30.10	79	79						
21	NA	NA	8	CLR	30.09	77	75						
22	NA	NA	8	CLR	30.07	75	74						
23	NA	NA	8	CLR	30.06	73	72						
24	NA	NA	8	CLR	30.05	71	70						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	Coded	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED

Robinson LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY
NAVPERS-719 (Now 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Saturday 28 April 19 62
(Day) (Date) (Month)

00-04 Moored starboard side to Pier #4, U.S. Naval Shipyard, Boston, Mass., with standard destroyer mooring lines doubled. Condition of Readiness V and Material Condition YOKE (Modified) are set. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). Receiving all utilities from the pier.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Moored as before. 0730 Mustered the crew at quarters; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Moored as before. 0900 LTJG P. R. FELLMAN, 634229, USNR departed the ship upon completion of two weeks active duty, in accordance with Com 3 order serial 110-2632. 16 Reverists from SurDiv 3-100, Utica, N.Y. departed the ship having completed 2 weeks acdutra in accordance with Com 3 Ser 210.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +4Q DATE 29 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	8	CLR	30.05	71	70						
02	NA	NA	7	CLR	30.07	71	70						
03	NA	NA	7	CLR	30.07	70	70						
04	NA	NA	7	CLR	30.08	69	68						
05	NA	NA	7	CLR	30.10	68	67						
06	NA	NA	7	CLR	30.12	66	64						
07	NA	NA	7	CLR	30.14	65	63						
08	NA	NA	7	CLR	30.15	64	62						
09	NA	NA	7	CLR	30.17	63	62						
10	NA	NA	7	CLR	30.18	62	62						
11	NA	NA	7	CLR	30.20	61	60						
12	NA	NA	6	OVC	30.19	60	60						
13	NA	NA	6	OVC	30.19	58	58						
14	NA	NA	6	RAIN	30.17	56	55						
15	NA	NA	6	RAIN	30.16	56	55						
16	NA	NA	6	RAIN	30.14	55	54						
17	NA	NA	6	RAIN	30.12	54	52						
18	NA	NA	6	RAIN	30.10	53	51						
19	NA	NA	6	RAIN	30.09	51	50						
20	NA	NA	5	RAIN	30.07	49	48						
21	NA	NA	5	RAIN	30.06	49	48						
22	NA	NA	5	RAIN	30.04	47	46						
23	NA	NA	5	RAIN	30.03	46	46						
24	NA	NA	5	RAIN	30.01	45	45						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP: Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	TIME GMT	Total Cloud Amt (Coded)	WIND: Direction (True) (00-36)	WIND: Speed (True) (Knots)	Visibility (90-99)	WEATHER: Present (00-99)	WEATHER: Past	PRESSURE: Barometer Corrected (mb)	Air Temp (°F)	CLOUDS: Amount of C_L Clouds (Coded)	CLOUDS: Type C_L (0-9)	CLOUDS: Height C_L Clouds (Coded)	CLOUDS: Type C_M (0-9)	CLOUDS: Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY: Characteristic (0-9)	3-HOUR PRESSURE TENDENCY: Amount Change (mb and tenths)	SIGNIFICANT CLOUD: Indicator	SIGNIFICANT CLOUD: Amount (Eighths)	SIGNIFICANT CLOUD: Type	SIGNIFICANT CLOUD: Height	Indicator	Diff. Sea Air °F	Dew Point °F	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: Height	WAVES: Indicator	WAVES: Direction (00-36)	WAVES: Period	WAVES: HEIGHT	ICE: Kind	ICE: Effect	ICE: Bearing	ICE: Distance	ICE: Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

Roburn LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629)

Sunday (Day) 29 (Date) April (Month) 19 62

00-04 Moored starboard side to Pier #4, U.S. Naval Shipyard, Boston, Mass., with standard destroyer mooring lines, doubled. Condition of Readiness V and Material Condition YOKE (Modified) are set. Ship is receiving all utilities from the pier. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61). 0200 Set clocks ahead to conform with +4 zone time.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Moored as before. 0745 Mustered the crew on station; no unauthorized absentees.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

08-12 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

12-16 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

16-20 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

20-24 Moored as before.

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +4Q DATE 30 APRIL 1962

AT/~~PASSAGE FROM~~ BOSTON NAVAL SHIPYARD ~~TO~~ BOSTON, MASS.

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	NA	NA	5	RAIN	30.02	43	42						
02	NA	NA	5	RAIN	30.02	41	40						
03	NA	NA	5	RAIN	30.04	40	39						
04	NA	NA	5	RAIN	30.06	42	40						
05	NA	NA	6	OVC	30.07	42	42						
06	NA	NA	6	OVC	30.09	43	42						
07	NA	NA	6	OVC	30.10	44	44						
08	NA	NA	6	OVC	30.12	44	44						
09	NA	NA	6	OVC	30.14	45	44						
10	NA	NA	6	OVC	30.15	46	45						
11	NA	NA	6	OVC	30.16	45	44						
12	NA	NA	6	OVC	30.16	43	43						
13	NA	NA	6	OVC	30.15	43	43						
14	NA	NA	6	OVC	30.13	44	43						
15	NA	NA	6	OVC	30.12	42	41						
16	NA	NA	6	OVC	30.10	41	41						
17	NA	NA	5	OVC	30.09	41	40						
18	NA	NA	5	OVC	30.09	40	40						
19	NA	NA	5	OVC	30.08	39	38						
20	NA	NA	5	OVC	30.06	38	38						
21	NA	NA	5	OVC	30.05	37	36						
22	NA	NA	5	OVC	30.05	37	36						
23	NA	NA	5	OVC	30.04	36	35						
24	NA	NA	5	OVC	30.03	36	36						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
	Day of week (1-7) (GMT)	Octant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	Present (00-99)	Past	Barometer Corrected (mb)	(°F)	Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	PP	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

EXAMINED

R. Coburn LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE: 1959—J-498118

FOR OFFICIAL USE ONLY
NAVPERS-719 (Now 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD-629) Monday (Day) 30 (Date) April (Month) 19 62

00-04 Moored starboard side to Pier #4, U.S. Naval Shipyard, Boston, Mass., with standard destroyer mooring lines, doubled. Condition of Readiness V and Material Condition YOKE (Modified) are set. The ship receiving all utilities from the pier. Ships present include various units of U.S. Atlantic and Allied Fleets. SOPA is Commanding Officer, U.S.S. SEVERN (AO-61).

Eugene J. Gallagher
EUGENE J. GALLAGHER
ENS USNR

04-08 Moored as before. 0715 LCDR R. H. SMALL, 543172, USN returned on board from sixteen (16) days annual leave.

Eugene J. Gallagher.
EUGENE J. GALLAGHER
ENS USNR

08-12 Moored as before. SCHRECENGOST, 530 24 54, EM3 and STOWE, 539 35 85, SOG3 returned to the ship from Shore Patrol duty. 0900 Mustered the crew on stations; no unauthorized absentees. 0925 HALL, L. F., 227 25 51, GMG3 and WITTIG, R. M., 537 07 98, RD3 departed for Shore Patrol duty. 0955 YD 205 alongside to port.

P. F. Finch
P. F. FINCH
ENS USN

12-16 Moored as before. 1410 Commanding Officer, U.S.S. BOSTON (CAG-1) assumed duties of SOPA.

P. F. Finch
P. F. FINCH
ENS USN

16-20 Moored as before.

P. F. Finch
P. F. FINCH
ENS USN

20-24 Moored as before.

P. F. Finch
P. F. FINCH
ENS USN

APPROVED:

A. H. Craig
A. H. CRAIG, CDR U. S. N. COMMANDING.

EXAMINED:

P. G. Coburn
P. G. COBURN, LTJG, U. S. NR NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH